



CRStar Insights

Submitting Non-Analytic Cases using the Abbreviated Maryland Metafile

The purpose of this Insight is to assist clients in submitting Non-Analytic cases to the MCR using the new abbreviated MCR Metafile in a State Export. This file, “MD_v23B Abrev” contains the bare minimum edits to capture the fields that MCR would like coded on Non-Analytic cases.

Note: If cases pass edits using the MD_v23B metafile, they should also pass edit free with this metafile. If your Non-Analytic cases already pass the MD_v23B metafile, it is not necessary to check cases against this abbreviated metafile for case submission. Analytic cases must still pass the MD_v23B metafile when submitted to the MCR.

Setting the Abbreviated metafile as the Additional State Metafile

It is recommended that users visit the Genedit's tab located in System Configuration of the Preferences tab and set the “Add. State Metafile” to the new abbreviated version of the metafile for use on Non-Analytic cases.

The screenshot shows the 'Genedit's' system configuration page. On the left is a navigation menu with 'System Configuration' highlighted. The main content area is titled 'Genedit's Dashboard' and contains a 'State Metafiles' section with a table and three rows of metafile settings. A blue arrow points to the 'Add. State Metafile' row.

State Metafiles		
State	Metafile	
MD - ▾	MD_v23B	Browse
Add Delete		
RCRS Metafile:	RCRS_v23B	Browse
NCDB Metafile:	NCDB_v23B	Browse
Add. State Metafile:	MD_v23B Abrev	Browse

Selecting Non-Analytic Cases for State Submission

The report template below can be used to select a population of Non-Analytic abstracts for submission by selecting the “Select a Population” function in the Enhanced Reporting Tab:

Select a Population

Population Label: Non-Analytic MCR State Export ▼

Requested By: Jonathan R Request Date: 12/20/2023

Hospitals: 01 ▼ Include All Primaries Inclu

None Dx Date 1st Contact Date

Abstract/Suspense Cases Case Type

Abstract Cases Only Analytic Cases Only

Suspense Cases Only Complete Cases Only

All Cases Incomplete Cases Only

Non-Reportable State Flag

Site Codes

Site	Site Description
1	
2	
3	

Add
Delete

Selection Criteria

Item Nbr	Item Description	Relation	Data Values	Logic	
1	200 State Report Flag	=	Y	And	Copy
2	147 Class of Case	>=	30	And	Copy
3	3732 Date of Diagnosis - Year	<=	2023	And	Copy

Add
Delete

Note: The Abstraction of Class of Case 32 and 33 cases is not mandatory by the MCR.

Running the Abbreviated Metafile on a State Export for Submission

To run the abbreviated metafile on the batch of Non-Analytic cases, visit the GenEdits tab located in System Configuration of the Preferences tab and set the State Metafile to the new abbreviated version of the metafile:

State	Metafile	
MD - ▾	MD_v23B Abrev	Browse
▾		Browse
▾		Browse

Add **Delete**

RCRS Metafile: RCRS_v23B **Browse**

NCDB Metafile: NCDB_v23B **Browse**

Add. State Metafile: MD_v23B Abrev **Browse**

Then proceed to the State Report function under Data Exports in the Enhanced Reporting tab and choose the Non-Analytic population label:

State Export **NCDB/RCRS Export**

Population Label: Non-Analytic MCR State Export ▾

Filename: State Export

Update State Report Flag and Transmit Date

Run GenEdits after Export


Zip Data File

Start Time: - End Time: -

Run **New**

Once the batch is edit free, it can be submitted to the MCR as a non-NAACCR File.

After submission of the Non-Analytic file, revert the state metafile back to the standard MD metafile:



As mentioned previously, if these Non-Analytic cases pass the standard MD_v23B metafile, it is not necessary to use the abbreviated metafile.

Support available at www.mycrstar.com